

INDEX MAPS.

T. 8 N. R. 10 E. 2nd Mer.

	74		74		73 75		73 75		73 75		73 75	
78	6	97	5	92	4	89	3	85	2	84	1	72
	97		97		92		88		85		83	
77	7	96	8	92	9	88	10	84	11	83	12	72
	96		96		91		88		84		83	
77	18	96	17	91	16	87	15	84	14	82	13	72
	95		95		91		87		82		80	
77	19	94	20	90	21	87	22	82	23	80	24	71
	94		94		90		86		81		79	
76	30	93	29	90	28	86	27	81	26	79	25	71
	93		93		87		86		81		78	
76	31	93	32	89	33	85	34	80	35	78	36	70
	67		67		67		67		67		68	
	70		69		69		69		68			

T. 9 N. R. 10 E. 2nd Mer.

	104		104		104		104		105		105	
	106		106		106							
108	6	129	5	125	4	122	3	120	2	118	1	104
	129		128		124		122		120		118	
108	7	128	8	124	9	122	10	119	11	118	12	103
	128		127		124		121		119		118	
107	18	127	17	123	16	121	15	119	14	110	13	103
	127		126		123		121		118		112	
107	19	126	20	123	21	120	22	118	23	110	24	102
	126		125		116		114		112		109	
107	30	125	29	115	28	114	27	111	26	109	25	102
	125		117		115		113		111		109	
106	31	116	32	115	33	113	34	111	35	108	36	101
	100		99		99		99		99		99	
			100		101		101		101		101	

The figures on the lines refer to the page.

Township N. 8 North, Range N. 10 East 2^d. Mer. Ind. 67
ch. 2. 67

South Boundary
Random Line.

East On S. boundary of Sec. 31, T 8 N. R 10 E

40.00 Set temp. q^r. Sec. post

43.70 a Brook 5th. wide Course S. E.

61.20 a Do. 25 " " " S. W.

72.90 a Do. 8 " " " N. W.

80.00 Set temp. Cor. to Sec. 31 & 32

Land waving, timber Beech, Oak, Sugar, Ash &c.

East On S. boundary of Sec. 32

27.15 a Brook 4th. wide Course N. W.

40.00 Set temp. q^r. Sec. post

58.10 a Brook 8th. wide Course S. W.

80.00 Set temp. Cor. to Sec. 32 & 33

Land flat, timber Beech, Oak, Maple, Hickory &c.

East On S. boundary of Sec. 33

40.00 Set temp. q^r. Sec. post

53.60 a Brook 5th. wide Course S.

66.55 a Do. 5 " " " S. W.

80.00 Set temp. Cor. to Sec. 33 & 34

Land waving, timber Beech, Sugar, Oak &c.

water Course 8th. wide C. S. S. W.

East On S. boundary of Sec. 34

4.44 a Creek 40th. wide Course S. W.

31.40 a Brook 6 " " " N.

40.00 Set temp. q^r. Sec. post

51.60 a Brook 5th. wide run, N. W.

77.25 a Do. 10 " " " N.

80.00 Set temp. Cor. to Sec. 34 & 35.

Land hilly, timber Oak, Beech, Sugar, Hickory &c.

East On S. boundary of Sec. 35

40.00 Set temp. q^r. Sec. post

S N R N E. 2nd Mer. Indiana

ch. lth

80.00 Let temp. Cor. to Sec. 35 & 36

Sandy hill, timber Oak, Beech, Poplar Ash,
Hickory &c

East On S. boundary of Sec. 36

40.00 Let temp. q. Sec. post

68.30 a Brook 10 lth. wide Course N. W.

86.80 Fell 12.21 lth. S. of post.

First 1/2 mile hilly - rest level, timber Beech
Oak Hickory &c. December 5th 1806

True Line

West On S. boundary of Sec. 36

0.75 a S. Gum 15 in. dia.

6.50 a W. Oak 40 " "

40.00 Let q. Sec. post, from which

a Beech 36 in. dia. bray N 85 W 20 lth. dist. of

a Sugar 11 " " " N 65 E 32 " "

53.40 a Brook 8 lth. wide Course N. W.

57.73 a Poplar 20 in. dia.

70.60 a Brook 8 lth. wide Course S. W.

72.50 Same 8 " " " N. W.

77.90 a Beech 24 in. dia.

80.00 Let post Cor. to Sec. 35 & 36, from which

a Beech 16 in. dia. bray North 16 lth. dist. of

a Do. 20 " " " S 6 W 38 " "

West On S. boundary of Sec. 35

6.10 a Brook 6 lth. wide Course N. W.

13.50 a Creek 50 " " " S. W.

19.50 Same 50 " " " N. W.

31.60 a Sugar 11 in. dia.

33.00 a Brook 10 lth. wide Course N. W.

40.00 Let q. Sec. post, from which

a Sugar 14 in. dia. bray N 80 E 9 lth. dist. of

a Beech 7 " " " S 22 W 5 " "

69

S. N. N. W. E. 2. Mer. Indiana

ch. 2. 1/2

- 51.82 a Beech 28 in. dia.
 63.70 Same Creek 60 lth. wide Course S. W.
 76.50 a Sugar 20 in. dia.
 80.00 Set post Cor. to Sec. 34 of 35, from which
 a Sugar 18 in. dia. bray N 5 1/2 W 43 lth. dist. of
 a Beech 15 " " " S 38 E 26 " "

West On S. boundary of Sec. 34

- 12.60 Same Creek 60 lth. wide C. S. N. W.
 36.55 a P. Oak 22 in. dia.
 40.00 Set of Sec. post (in brook 15 lth. wide S.) from which
 a Buckeye 11 in. dia. bray S 70 E 15 lth. dist. of
 a Do 9 " " " N 53 1/2 W 49 " "
 42.86 a Sugar 18 " "
 62.50 Same Creek 60 lth. wide Course S. W.
 80.00 Set post Cor. to Sec. 33 of 34, from which
 a Beech 18 in. dia. bray S 32 W 19 lth. dist. of
 a Do. 7 " " " N 47 E 5 " "

West On S. boundary of Sec. 33

- 2.50 a Brook 10 lth. wide Course S. W.
 19.00 a Do 6 " " " S. W.
 27.00 a Beech 28 in. dia.
 34.50 a Brook 6 lth. wide Course S. W.
 40.00 Set of Sec. post, from which
 a Beech 11 in. dia. bray N 37 E 38 lth. dist. of
 a Poplar 36 " " " S 33 W 30 " "
 47.04 a Blk — 40 " "
 80.00 Set post Cor. to Sec. 32 of 33, from which
 a Hickory 13 in. dia. bray N 51 W 3 lth. dist. of
 a Beech 12 " " " S 17 1/2 E 24 " "
 January 9th 1807

West On S. boundary of Sec. 32

- 15.65 a W. Oak 36 in. dia.
 29.10 a Brook 6 lth. wide Course S. W.

70

S. N. T. C. 10 E. 2. Mer. Indiana

ch 2 1/2

- 40.00 Let of Sec. post, from which
at Beech 26 mi. dist. bear N 14 E 36 lks. dist. of
a Do. 6 " " " N 7 E 7 " "
- 66.50 at Brook 5 lks. wide Course N. W.
- 68.66 at Beech 16 mi. dist.
- 78.25 Fork of a Brook 8 lks. wide, one from S. E, the one from N. W.
- 80.00 Let post Cor. to Sec. 31 & 32, from which ^{Line runs down it.}
at Beech 18 mi. dist. bear N 65 E 33 lks. dist. of
a Sugar 14 " " " N 61 W 17 " "

West On S. boundary of Sec. 31

- 7.90 line leaves the Brook N 70 W
- 15.50 at Brook 5 lks. wide runs N. 100 lks. fallen timber
- 21.00 at Brook 12 " " " S. W.
- 25.18 a Creek 40 " " " S. W.
- 40.00 Let of Sec. post, from which
at Beech 7 mi. dist. bear N 71 W 30 lks. dist. of
a Do. 7 " " " N 64 E 22 " "
- 44.80 at Brook 6 lks. wide Course S. W.
- 61.28 at Beech 18 mi. dist.
- 87.00 to Township Corner

East Boundary. var. 6.00 E.

North On E. boundary of Sec. 36

- 5.96 at Beech 7 mi. dist.
- 20.00 at Brook 4 lks. wide Course W
- 40.00 Let of Sec. post, from which
at Beech 7 mi. dist. bear N 30 E 9 lks. dist. of
a Do. 6 " " " N 1 W 22 " "
- 52.25 at Brook 20 lks. wide Course N. W.
- 55.44 a W. Oak 42 mi. dist.
- 76.20 at Brook 5 lks. wide Course N. W.
- 80.00 Let post Cor. to Sec. 25 & 36, from which
at Beech 11 mi. dist. bear N 40 W 7 lks. dist. of
a Do. 24 " " " S 33 E 15 " "
- Land waving, Beech, Oak, Poplar ash, Sugar &c.

71

S 8 N R 10 E, 2nd Mer. Indiana

ch. lks.
 North On E. boundary of Sec. 25
 21.80 a Brook 6 lks. wide Course N.W.
 24.00 a Creek 40 lks. " " S.W.
 27.40 a Beech 13 in. diam.
 37.04 a Do 20 " "
 38.00 a Brook 4 lks. wide Course E.
 40.00 Set q^r. Sec. post, from which
 a Beech 16 in. diam. bearing S 40 E 4 lks. dist. of
 a Do. 6 " " " N 30 W 29 " "
 43.34 a Beech 24 " "
 50.50 a Do. 30 " "
 80.00 Set post Cor. to Sec. 24 of 25, from which
 a Beech 11 in. diam. bearing N 85 E 2 lks. dist. of
 a Do. 6 " " " S 78 W 20 " "
 Land waving, timber Beech, Oak, Poplar,
 Sugar &c. January 10th 1807

North On E. boundary of Sec. 24
 10.00 a Brook 5 lks. wide Course N.W.
 12.00 a Do. 5 " " " N.W.
 15.50 a Do 6 " " " N.W.
 17.80 a Poplar 42 in. diam.
 27.25 a Brook 15 lks. wide Course W.
 40.00 Set q^r. Sec. post, from which
 a Beech 17 in. diam. bearing N 43 W 22 lks. dist. of
 a Sugar 7 " " " S 8 W 13 " "
 42.50 a Brook 5 lks. wide Course S.W.
 57.20 a Poplar 42 in. diam.
 62.50 a Brook 4 lks. wide Course W.
 69.50 a Do. 4 " " " W.
 78.00 a Do. 5 " " " N.W.
 80.00 Set post Cor. to Sec. 13 of 24, from which
 a Sugar 22 in. diam. bearing N 57 W 29 lks. dist. of
 a Do. 8 " " " N 88 E 21 " "
 Land timber &c. Same as on last mile

S. N. R. 10 E. 2^d. Mer. Indiana

ch. 4th

North On E. boundary of Sec. 13

25.46 a Beech 17 in. diam.

40.00 Set of Sec. post from which
a Sugar 12 in. diam. bears N 31 W 31 lks. dist. of
a Beech 10 " " " S 43 E 32 " "

41.50 a Brook 6 lks. wide Course N. W.

47.50 a Do. 5 lks. " " W.

58.13 a Blk. Oak 36 in. diam.

63.75 a Brook 6 lks. wide Course W.

80.00 Set post Cor. to Sec. 12 of 13, from which
a B. Gum 20 in. diam. bears S 83 W 10 lks. dist. of
a Sugar 7 " " " S 79 E 30 " "
Sand timber &c. same as on the last mile

North On E. boundary of Sec. 12

7.75 a Brook 20 lks. wide Course W

27.32 a Hickory 14 in. diam.

40.00 Set of Sec. post from which
a Beech 15 in. diam. bears N 56 E 11 lks. dist. of
a Do. 13 " " " S 61 W 32 " "

48.90 a Brook 12 lks. wide Course W.

60.95 a W. Oak 36 in. diam.

65.20 a Brook 20 lks. wide Course S. W.

80.00 Set post Cor. to Sec. 11 of 12, from which
a Beech 24 in. diam. bears S 22 E 13 lks. dist. of
a Sugar 11 " " " N 25 W 30 " "
Sand timber &c. same as on the last mile

North On E. boundary of Sec. 1

28.25 a Beech 13 in. diam.

40.00 Set of Sec. post, from which
a Beech 11 in. diam. bears S 55 W 13 lks. dist. of
a Do. 9 " " " N 70 E 16 " "

48.95 a Beech 14 " "

65.62 a Sugar 15 " "

66.50 a Brook 4 lks. wide course W.

Tg N. R10 E. T. Mer. Indiana

73

ch. lks

80.00 Set post Cor. to Township, N. 8 of 9 North, of
Range, N. 10 of 11 East T. Mer. from which
a Beech 8 in. dia. beam, S 47 E 5 lks, dist. of
a Sugar 14 " " " N 69 W 34 " "
Land waving timber Beech, Sugar, Poplar Oak &c.

North Boundary. Random line

Nest On S. boundary of Sec. 36, Tg N. R10 E
5.00 a Brook 6 lks. wide Course S. W.

12.00 a Creek 40 lks. " " S.

40.00 Set temp. q. Sec. post

80.00 Set temp. Cor. to Sec. 35 of 36

Land flat, timber Beech, Maple, Elm, Oak,
Hickory, Poplar &c.

Nest On S. boundary of Sec. 35, Tg N. R10 E.

22.40 a Brook 20 lks. wide Course S. W.

40.00 Set temp. q. Sec. post

80.00 Set temp. Cor. to Sec. 34 of 35

Land timber &c. same as on the last mile

Nest On S. boundary of Sec. 34, Tg N. R10 E.

40.00 Set temp. q. Sec. post

62.28 a Brook 12 lks. wide Course S. W.

68.50 a Do. 4 " " " S. W.

72.00 a Do. 4 " " " S.

78.00 a Do. 4 " " " S. E.

80.00 Set temp. Cor. to Sec. 33 of 34

Land waving, timber Beech Oak, Sugar,
Maple, Poplar, Hickory &c.

Nest On S. boundary of Sec. 33, Tg N. R10 E

40.00 Set temp. q. Sec. post

47.40 a Brook 8 lks. wide Course S. W.

65.10 a Do. 9 " " " S. W.

80.00 Set temp. Cor. to Sec. 32 of 33

74

T8N - R10E, 2^d Mer. Indianach^d l^yLand level, timber Beech, Oak, Poplar
Hickory, Sugar &c. January 11th 1807

West On S. boundary of Sec. 32, T8N, R10E.

12.20 a Brook 4 l^y, wide Course S.W.

31.00 a Do 5 " " " S.W.

40.00 Set temp^y. of Sec. post80.00 Set temp^y. Corner to Sec. 31 & 32

Land timber &c. Same as on last mile

West On S. boundary of Sec. 31, T8N, R10E.

17.00 a Brook 8 l^y, wide Course N.W.40.00 Set temp^y. of Sec. post43.00 a Brook 5 l^y, wide Course N.W.50.75 a Creek 70 l^y, wide Course S80 W.

68.00 Same 70 " " " N.W.

72.75 Same 70 " " " N70 W.

86.18 Fell 470 l^y, North of Township CornerLand waving, timber Beech, Oak Poplar
Hickory, Sugar &c.

True Line.

East On S. boundary of Sec. 31, T8N, R10E

3.25 a Creek 70 l^y, wide Course S.W.

19.90 Same 70 " " " N.W.

24.80 Same 70 " " " S.W.

32.00 a Sugar 24 in. dia^r.

46.18 Set of Sec. post, from which

a Beech 13 in. dia^r, bray N26 W 25 l^y, dist. of

a Do. 12 " " " N63 E 6 " "

68.20 a Poplar 16 in. dia^r.

86.18 Set post Cor. to Sec. 31 & 32, T8N, R10E, from which

a Beech 7 in. dia^r, bray N36 W 5 l^y, dist. of

a Sugar 13 " " " N30 W 17 " "

East On S. boundary of Sec. 32, T8N, R10E

T9 N. R10 E. 2.nd Mer. Indiana 75

ch² lth

22.13 a Hickory 15 in. diam.

40.00 Set of Sec. post, from which
a Beech 26 in. diam. bear N 52 E 21 lth. dist. of
a Do. 6 " " " N 48 W 14 " "

80.00 Set post Cor. to Sec. 32 & 33, T9 N. R10 E, from which
a S. Gum 36 in. diam. bear N 79 E 22 lth. dist. of
a Beech 12 " " " N 64 W 23 " "

East On S. boundary of Sec. 33, T9 N. R10 E.

40.00 Set of Sec. post, from which
a Beech 15 in. diam. bear N 84 W 6 lth. dist. of
a Poplar 36 " " " N 82 E 34 " "

63.50 a Beech 16 " "

80.00 Set post Cor. to Sec. 33 & 34, T9 N. R10 E, from which
a Poplar 60 in. diam. bear N 34 W 23 lth. dist. of
an Ash 16 " " " N 76 E 14 " "

East On S. boundary of Sec. 34, T9 N. R10 E.

38.25 a Beech 24 in. diam.

40.00 Set of Sec. post, for which
a Beech 13 in. diam. stands for of Sec. Cor. from which
a Do 10 " " bear N 69 E 27 lth. dist.

80.00 Set post Cor. to Sec. 34 & 35, T9 N. R10 E, from which
a Sugar 16 in. diam. bear N 20 E 15 lth. dist. of
a Blk. Oak 36 " " " N 39 W 4 " "

East On S. boundary of Sec. 35, T9 N. R10 E.

40.00 Set of Sec. post, from which
a Beech 12 in. diam. bear N 44 W 8 lth. dist. of
a Do. 13 " " " N 12 W 11 " "

80.00 Set post Cor. to Sec. 35 & 36, T9 N. R10 E, from which
a Beech 10 in. diam. bear N 11 W 6 lth. dist. of
a Do. 9 " " " N 8 1/2 E 32 " "

East On S. boundary of Sec. 36, T9 N. R10 E.

40.00 Set of Sec. post, from which

S 8 N R 10 E 2nd Mer. Indiana

ch. 4th

a Maple 12 in. diam. bray N 34 W 17 lks. dist. of
a Beech 5 " " " S 15 E 7 "
80.00 To the Township Corner. Jan. 12th 1807

West Boundary var. 5° 30' E.
North On E. boundary of Sec. 36, S 8 N, R 9 E.
6.60 a Brook 5 lks. wide Course W.
15.62 a Beech 22 in. diam.
26.95 a W. Oak 30 " "
29.70 a Brook 5 lks. wide Course W.
36.30 a do. 4 " " " NW
40.00 At gr. Sec. post, from which
a Beech 30 in. diam. bray N 76 W 3 lks. dist. of
a do. 22 " " " S 60 E 34 " "
56.25 a Brook 5 lks. wide Course NW.
62.20 a do 10 " " " W.
80.00 At post cor. to Sec. 25, 36, S 8 N, R 9 E, from which
a Beech 15 in. diam. bray N 64 W 18 lks. dist. of
a Sugar 13 " " " S 51 E 15 "
Land growing timber Beech, Poplar, Sugar,
Hickory, Oak &c.

North On E. boundary of Sec. 25, S 8 N, R 9 E.
3.90 a Brook 20 lks. wide Course W.
4.46 a Sycamore 48 in. diam.
33.20 a Brook 5 lks. wide Course S. W.
35.29 a Beech 13 in. diam.
40.00 At gr. Sec. post, from which
a Beech 12 in. diam. bray N 36 E 12 lks. dist. of
a do. 13 " " " S 47 W 13 " "
57.10 a Brook 6 lks. wide Course S. W.
68.64 a Sugar 15 in. diam.
80.00 At post cor. to Sec. 24, 25, S 8 N, R 9 E, from which
a Maple 14 in. diam. bray N 66 E 30 lks. dist. of
a Beech 7 " " " S 52 W 9 " "
Land broken, timber Beech, Sugar Oak, Poplar &c.

T8N R10E, 2^d Mer. Indiana 77

Ch. 1/4

North On E. boundary of Sec. 24, T8N, R9E.

2.00 a Brook 4th wide Course S.W.

16.43 a Beech 17 m. dist.

23.60 a Brook 30th wide Course S.W.

29.40 a Do. 6 " " " S.E.

40.00 let of Sec. post, from which

a Beech 14 m. dist. by N 71° 23' E, dist. of

a Do. 20 " " " S 26° 11' 33 " "

45.85 a Beech 16 " "

51.53 a Sugar 16 " "

61.50 a Brook 30th wide Course W.

80.00 let post Cor. to Sec. 13, 24, T8N, R9E, from which

a Beech 10 m. dist. by N 11° 11' E, dist. of

a Sugar 9 " " " S 41° 19 " "

Land waving, timber Beech, Sugar, Oak &c.

North On E. boundary of Sec. 13, T8N, R9E.

16.72 a Poplar 30 m. dist.

34.45 a Brook 4th wide Course S.W.

40.00 let of Sec. post, from which

a Beech 11 m. dist. by S 8° 32' E, dist. of

a Do. 13 " " " N 41° 17 " "

53.17 an Elm 16 " "

57.95 a Poplar 40 " "

74.43 a Gum 18 " "

80.00 let post Cor. to Sec. 12, 13, T8N, R9E, from which

a Beech 17 m. dist. by North 26th dist. of

a Do. 20 " " " S 44° 11' 24 " "

Land level, Beech, Oak, Hickory, Sugar, Maple &c.

North On E. boundary of Sec. 12, T8N, R9E.

20.35 a Beech 22 m. dist.

40.00 let of Sec. post, from which

a Beech 16 m. dist. by N 11° 11' E, dist. of

a Do. 9 " " " S 41° 19 " "

49.80 a Beech 30 " "

T8N R10E. 2nd Mer. Indiana

ch. lth.

53.25 a Brook 12 lth. wide Course S.W.

68.45 a Sugar 13 in. diam.

80.00 Set post, Cor. to Sec. 1, 12, T8N. R9E, from which
a Sugar 9 in. diam. bear S 2 E 23 lth. dist. of
a Beech 10 " " " S 23 E 3 " "
Land level, Beech, Sugar, Poplar, Ash, Oak &c.

North On E. boundary of Sec. 1, T8N. R9E

19.30 a Brook 20 lth. wide Course S.W.

26.46 a Sycamore 42 in. diam.

34.25 a Creek 50 lth. wide C.P. S80 W. line runs up it

40.00 Set q. Sec. post, from which (in brook or creek)
a Sycamore 12 in. diam. bear N 89 W 52 lth. dist. of
a Do. 14 " " " S 6 W 74 " "

43.00 leave the Creek, Course up it S.W.

75.00 Same Creek 50 lth. wide Course S.W.

80.00 Set post Cor. to Townships 8 & 9, North, of
Range 9 & 10 East, from which
an Elm 24 in. diam. bear N 19 E 13 lth. dist. of
a Do. 12 " " " N 60 W 5 " "Land level greater part bottom, timber
Beech, Sugar, Walnut, Sycamore &c.December 4th 1806

Surveyed By

John Brownson,

Deputy Surveyor

Subdivision, Jan^y 17th 1807

North Between, Sec. 35 & 36, T8N. R10E.

0.18 a Beech 20 in. diam.

18.50 a Creek 75 lth. wide Course W.

40.00 Set q. Sec. post, from which
a Beech 16 in. diam. bear S 44 E 5 lth. dist. of
a Sugar 18 " " " North 20 " "80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which
a Beech 20 in. diam. bear N 35 E 18 lth. dist. of

S 8 N 10 E. T. Mer. Indiana 79
 ch. 1/2

a ——— 25 in. dia. bray N 35 W 17 ch. dist. of
 Over high land, Beech, Sugar, B. M. Oak,
 Soil 2nd rate.

East On Rand^m. between Sec. 25 & 26
 40.00 Let temp. q. Sec. post
 65.00 a Creek 70 ch. wide Course S. W.
 78.50 Intersected the E. boundary 50 ch. S. of post
 Over high rich land, Beech, Poplar &c.
 under 1st price

West Corrected between Sec. 25 & 26
 1.18 a Beech 20 in. dia.
 39.20 Let q. Sec. post at average dist. from which
 a Beech 20 in. dia. bray N 10 W 39 ch. dist. of
 a Do. 15 " " " 19 E 8 " "
 78.50 to Sec. Corner

North Between Sec. 25 & 26
 1.77 a Poplar 20 in. dia.
 40.00 Let q. Sec. post, from which
 a Sugar 12 in. dia. bray N 74 E 14 ch. dist. of
 a Beech 20 " " " West 3 " "
 80.00 Let post Co. to Sec. 23, 24, 25 & 26, from which
 a Sugar 18 in. dia. bray N 38 W 34 ch. dist. of
 a Beech 15 " " " 168 E 19 " "
 Over high rich land Beech, B. M. Oak

East On Rand^m. between Sec. 24 & 25
 40.00 Let temp. q. Sec. post
 78.40 Intersected the E. boundary 20 ch. N. of post
 Land timber &c. same as on last mile

West Corrected between Sec. 24 & 25
 0.35 a Sugar 12 in. dia.
 39.20 Let q. Sec. post at average dist. from which

T8N R10 E. 2^d. Mer. Indiana
ch. lks

a Beech 20 m. dist. way East 29 lks. dist. of
a Sugar 16 " " " N 35 W 25 " "
78.40 to Sec. Corner.

North Between Secs. 23 & 24

3.00 a Creek 50 lks. wide Course West

3.50 a Beech 20 m. dist.

40.00 Set q^r. Sec. post, from which

a Beech 20 m. dist. way N 65 W 9 lks. dist. of

a Poplar 80 " " " N 65 E 18 " "

80.00 Set post Cor. to Secs. 13, 14, 23 & 24, from which

a Sugar 12 m. dist. way N 53 E 8 lks. dist. of

a Lym 20 " " " N 85 W 8 " "

Land timber &c. same as on last mile

East On Rand^m. between Secs. 13 & 24

40.00 Set temp^y. q^r. Sec. post

78.40 Intersected the E. boundary 20 lks. N. of post
Land timber &c. same as on the last mile

West Connected between Secs. 13 & 24

25.00 a Beech 20 m. dist.

39.20 Set q^r. Sec. post, at average dist. from which

a Beech 20 m. dist. way N 25 E 20 lks. dist. of

a Ro. 20 " " " N 25 W 15 " "

78.40 to Sec. Corner. Jan^y. 18th. 1807

North Between Secs. 34 & 35

6.80 a W. Oak 15 m. dist.

40.00 Set q^r. Sec. post, from which

a Beech 12 m. dist. way N 29 W 18 lks. dist. of

a Lym — " " " N 16 E — " "

80.00 Set post, Cor. to Secs. 26, 27, 34 & 35, from which

an Elm 25 m. dist. way N 73 E 24 lks. dist. of

a Beech 19 " " " N 29 W 7 " "

High rich land, Beech, 12 & W. Oak &c.

81

S. N. W. E. 2nd Mer. Indiana

ch. 2nd Mer.

East On Rand^m. between Sec. 26 & 35

40.00 Set temp^y. gr. Sec. post

79.00 Intersected the N & S. line at the post
Over high rich land, Beech, Poplar, B. M. oak

West Corrected between Sec. 26 & 35

1.11 a Beech 20 in. diam.

39.50 Set gr. Sec. post at average dist. from which
a Poplar 70 in. diam. bears West 25 lbs. dist. of
a Beech 30 " " " S 80 E 62 " "

79.00 to Sec. Corner.

North Between Sec. 26 & 27

2.50 a Sugar 20 in. diam.

6.00 a Creek 75 lbs. wide Course W.

40.00 Set gr. Sec. post, from which
a Beech 20 in. diam. bears N 88 W 5 lbs. dist. of
a do. 18 " " " S 88 E 13 " "

80.00 Set post Cor. to Sec. 22, 23, 26, 27, from which
a S. Gum 18 in. diam. bears N 74 E 53 lbs. dist. of
a Maple 20 " " " S 61 W 15 " "
Hilly 2nd. rate land, timber Beech, B. M. Oak

East On Rand^m. between Sec. 23 & 26

40.00 Set temp^y. gr. Sec. post

43.00 a Creek 70 lbs. wide Course S. W.

70.00 a Shook 17 " " " S. W.

79.00 Intersected the N & S. line at the post
Over high land, timber Beech, B. M. Oak
underg^g. Spruce & Beech.

West Corrected between Sec. 23 & 26

2.50 a Beech 20 in. diam.

39.50 Set gr. Sec. post at average dist. from which
a Sugar 20 in. diam. bears S 37 E 13 lbs. dist. of
a do. 14 " " " N 13 W 7 " "

S.E. R10 E. 2^d Mer. Indianach^d. l^y

79.00 to Section Corner.

North Between Sec^s. 22 & 23

5.15 a Beech 15 mi. dist.

40.00 Set gr. Sec. post, from which
a W. Oak 7 mi. dist. bearing N 11 W 26 l^y. dist. of
a Beech 28 " " " N 11 E 21 " "80.00 Set post Cor. to Sec^s. 14, 15, 22 & 23, from which
an Elm 20 mi. dist. bearing S 74 W 19 l^y. dist. of
a Beech 25 " " " S 72 E 36 " "Over level rich land, Beech, B. & W. Oak, timber
very tall.East On Land^m. between Sec^s. 14 & 23

40.00 Set temporary gr. Sec. post

72.00 a Creek 79 l^y. wide Course S. W.78.90 Intersected the N & S. line 15 l^y. N. of post
Land timber &c. Same as on the last mileWest Corrected between Sec^s. 14 & 2339.45 Set gr. Sec. post at average dist. from which
a Beech 20 mi. dist. bearing S 14 W 11 l^y. dist. of
a Do. 12 " " " N 45 W 5 " "

47.00 a Beech 20 " "

78.90 to Sec. Corner

North Between Sec^s. 13 & 14

5.80 a Beech 30 mi. dist.

40.00 Set gr. Sec. post, from which
a Beech 12 mi. dist. bearing S 80 E 27 l^y. dist. of
a Do. 16 " " " S 50 W 10 " "55.00 a Creek 75 l^y. wide Course S. W.80.00 Set post Cor. to Sec^s. 11, 12, 13 & 14, from which
a Beech 14 mi. dist. bearing N 37 E 4 l^y. dist. of
a Do. 12 " " " S 37 W 11 " "Over high rich land, Beech, Sugar, Poplar, Ash
B. & W. Oak.

T 8 N. R 10 E. 2nd Mer. Indiana 83

ch^d l^y

East On Rand^m. between Sec^s. 12 & 13

20.00 at Brook 70 l^y. wide Course S. 70° W

40.00 Set temp^y. of Sec. post

78.30 Intersected the E. boundary 20 l^y. N. of post
Over hilly land 2nd rate soil, Beech & W. Oak
undergrowth Beech

West Corrected between Sec^s. 12 & 13

1.60 a Sugar 15 m. dia^r.

39.15 Set of Sec. post, at average dist. from which
a Sugar 12 m. dia^r. bears S 10° W 15 l^y. dist. of
a Do. 15 " " " N 20° W 5 " "

78.30 to Sec. Corner. Jan^y. 19th. 1807

North Between Sec^s. 11 & 12

3.50 at Beech 20 m. dia^r.

40.00 Set of Sec. post, from which
a Poplar 12 m. dia^r. bears N 18° W 21 l^y. dist. of
at Beech 20 " " " South 13 " "

80.00 Set post Co. to Sec^s. 1, 2, 11 & 12, from which
a Beech 19 m. dia^r. bears N 62° W 11 l^y. dist. of
a Sugar 16 " " " S 74° E 34 " "
Over level rich land, timber Beech, 12 & W. Oak

East On Rand^m. between Sec^s. 1 & 12

40.00 Set temp^y. of Sec. post

78.54 Intersected the E. boundary 50 l^y. N. of post
Over high rich land, Beech, Poplar, 12 & W. Oak

West Corrected between Sec^s. 1 & 12

39.27 Set of Sec. post at average dist. from which
a Sugar 18 m. dia^r. bears S 27° W 13 l^y. dist. of
a Do. 20 " " " N 10° W 12 " "

42.50 a Sugar 18 " "

78.54 to Sec. Corner

84 S 8 N R 10 E, 2^d Mer. Indiana

ch. l. l. l.

North Between Sec. 1 & 2

0.61 a Beech 15 in. diam.
 40.00 Set gr. Sec. post, from which
 a Beech 18 in. diam. bears S 84° W 18 ch. dist. of
 a Do. 20 " " " East 11 " "
 74.80 Intersected the N. boundary 25 ch. E. of
 post, set post Cor. to Sec. 1 & 2, from which
 a Beech 18 in. diam. bears N 45° W 32 ch. dist. of
 a Do. 19 " " " S 41° E 17 " "
 Over level 2^d rate land, timber Beech,
 Sugar, Poplar, Ash, B & W Oak.

North Between Sec. 14 & 15

4.50 a Beech 12 in. diam.
 40.00 Set gr. Sec. post, from which
 an Ash 20 in. diam. bears N 77° W 19 ch. dist. of
 a Poplar 18 " " " N 51° E 6 " "
 80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
 a Sugar 18 in. diam. bears N 72° W 20 ch. dist. of
 a W. Oak 50 " " " S 76° E 52 " "
 Over level land timber Beech, Sugar, B & W Oak &c.

East On Range between Sec. 11 & 14

40.00 Set temp. gr. Sec. post
 79.00 Intersected the N & S. line at the post
 Land timber &c. Same as on last mile

West Connected between Sec. 11 & 14

39.50 Set gr. Sec. post at average diam. from which
 a Beech 18 in. diam. bears S 5° E 32 ch. dist. of
 a Do. 16 " " " N 25° W 23 " "
 41.75 a W. Oak 30 " "
 79.00 to Sec. Corner

North Between Sec. 10 & 11

3.25 a Beech 12 in. diam.

S N N10 E, 2^d Mer. Indiana

85

ch. ly

20.00 a Brook 17th, wide Course S. W.

40.00 Let q. Sec. post, from which
at Beech 18 m. dist. by N 85 E 32th dist. of
a Co. 19 " " " N 87 W 29 " "

80.00 Let post Cor. to Sec. 2, 3, 10 & 11, from which
a Maple 20 m. dist. by N 55 W 6th dist. of
a Beech 12 " " " S 72 E 26 " "
Over high 2^d rate land, timber Beech,
Poplar, Maple &c

East On Land^m. between Sec. 2 & 11

40.00 Let temp. q. Sec. post

79.00 Intersected the N & S line 50th S. of post
Land timber &c. same as on the last mile

West Connected between Sec. 2 & 11

39.50 Let q. Sec. post at average dist. from which
a Sugar 19 m. dist. by N 14 E 30th dist. of
a Beech 18 " " " N 49 W 18 " "

40.25 a Beech 12 " "

79.00 to Sec. Corner

North Between Sec. 2 & 3

9.82 a D. Gum 20 m. dist.

40.00 Let q. Sec. post, from which
a Beech 20 m. dist. by N 63 E 14th dist. of
a Co. 18 " " " S 87 W 19 " "

74.50 Intersected the N. boundary 74th E. of post
Let post Cor. to Sec. 2 & 3, from which
a D. Oak 15 m. dist. by N 35 W 60th dist. of
a Beech 18 " " " S 40 E 26 " "
Land level, Beech &c. 2^d rate. Jan'y. 20, 1807

North Between Sec. 33 & 34

3.50 a Beech 20 m. dist.

40.00 Let q. Sec. post, from which

S 8 N 10 E 2^d Mer. Indiana

ch 200

a Beech 20 in. dia. bray N 41 E 20 lbs dist. of
 a Do. 30 " " " S 52 W 16 "
 80.00 Set post Cor. to Sec. 27, 28, 33 & 34 from which
 a Beech 19 in. dia. bray N 48 E 10 lbs. dist. of
 a Do. 27 " " " S 55 W 23 "
 Over level 2^d rate land, timber Beech,
 Poplar, B & W. Oak &c.

East Out Rand^m. between Sec. 27 & 34

40.00 Set gr. Sec. post temporarily

63.00 a fresh 70 lb. wide Cornuc S. W.

78.50 Intersected the N & S. line at the post
 Over high 2^d rate land, Beech, B & W. Oak
 undag^m. Spruce &c.

West Corrected between Sec. 27 & 34

3.00 a Sugar 20 in. dia.

39.25 Set gr. Sec. post at average dist. from which
 a Beech 35 in. dia. bray S 72 W 23 lbs. dist. of
 a Maple 30 " " " N 62 E 19 "
 78.50 to Sec. Corner.

North Between Sec. 27 & 28

10.00 a Beech 30 in. dia.

40.00 Set gr. Sec. post, from which
 a Beech 18 in. dia. bray N 77 E 17 lbs. dist. of
 a Do. 12 " " " S 64 W 10 "

80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
 a Beech 20 in. dia. bray N 18 E 8 lbs. dist. of
 a Do. 40 " " " S 28 W 9 "
 Flat Beech land.

East Out Rand^m. between Sec. 22 & 27

40.00 Set temp. gr. Sec. post

78.40 Intersected the N & S. line 10 lb. N. of post
 Level Beech land

T8 N. N10 E. 2^d. Mer. Indiana 87

ch. l. l. l.

West Connected between Sec. 22 & 27

17.00 a / 2. Gum 12 m. dist.

39.20 Let of Sec. post at average dist. from which
a Beech 12 m. dist. bear N 34 W 17 l. l. dist. of
a do. 18 " " " N 63 E 13 " "

78.40 to Sec. Corner.

North Between Sec. 21 & 22

10.00 a Beech 18 m. dist.

40.00 Let of Sec. post, from which
a Beech 20 m. dist. bear S 53 W 7 l. l. dist. of
an Ash 15 " " " N 52 E 19 " "

80.00 Let post Cor. to Sec. 15, 16, 21 & 22, from which
a Beech 18 m. dist. bear West 35 l. l. dist. of
a do. 30 " " " N 85 E 30
Over level land, 2^d. rate, Beech, 12 & M. oak

East On Land^m. between Sec. 15 & 22

40.00 Let temp. of Sec. post

78.43 Entered the N & S. line 10 l. l. S. of post
Over flat Beech land

West Connected between Sec. 15 & 22

39.21 Let of Sec. post at average dist. from which
an Elm 20 m. dist. bear West 13 l. l. dist. of
a Maple 18 " " " N 82 E 19 " "

39.56 an Elm 20 " "

78.43 to Sec. Corner Jan. 21st. 1877

North Between Sec. 15 & 16

38.40 a / 3 Gum 17 m. dist.

40.00 Let of Sec. post, from which
a Beech 20 m. dist. bear S 52 E 18 l. l. dist. of
a do. 11 " " " N 64 W 18 " "

58.00 a Brook 20 l. l. wide Course S. W.

80.00 Let post Cor. to Sec. 9, 10, 15 & 16, from which

S 8 N. R 10 E. 2^d. Mer. Indiana

ch. l. by

a Sugar 25 m. dia. bray N 47° W 53 l. dist. of
 at Beech 30 " " S 76° E 20 " "
 Over level Beech land

East On Rand^m. between Sec. 10 & 1540.00 Let temp^y. gr. Sec. post

59.50 a Beech 20 l. wide Corner S. W.

78.70 Intersected the N & S. line 20 l. N. of post
 Over high 2^d. rate land, Beech, Poplar &c.

West Connected between Sec. 10 & 15

38.90 an Ash 20 m. dia. bray

39.35 Let gr. Sec. post at average dist. from which
 a Hickory 15 m. dia. bray S 66° E 6 l. dist. of
 an Ash 20 " " " N 52° E 16 " "

78.70 to Sec. Corner.

North Between Sec. 9 & 10

7.75 a Beech 20 m. dia.

40.00 Let gr. Sec. post, from which

at Beech 20 m. dia. bray N 69° W 19 l. dist. of
 a do. 20 " " " South 12 " "

80.00 Let post Cor. to Sec. 3, 4, 9 & 10, from which

a Beech 20 m. dia. bray N 63° E 32 l. dist. of
 a do. 18 " " " S 59° W 9 " "

Level 2^d. rate land, Beech, Poplar, Sugar &c.East On Rand^m. between Sec. 3 & 1040.00 Let temp^y. gr. Sec. post

78.69 Intersected the N & S. line 40 l. N. of post
 Over high 2^d. rate land Beech, Poplar &c.

West Connected between Sec. 3 & 10

39.33 Let gr. Sec. post at average dist. from which
 an Ash 20 m. dia. bray N 17° W 32 l. dist. of
 a Sugar 18 " " " South 15 " "

89

S. N. R. W. Co. 2^d Mer. Indiana

44.73 a Beech 17 mi. dist.
78.69 to Sec. Corner.

North Between Sec. 3 of 4
7.50 a Poplar 80 mi. dist.
40.00 Set of Sec. post, from which
a Beech 18 mi. dist. bearing N 28 E 25 km. dist. of
a Do. 17 " " " N 16 W 39 " "
75.65 Intersected N. boundary 272 km. N. of post
Set post Cor. to Sec. 3 of 4, from which
a Beech 25 mi. dist. bearing N 73 E 10 km. dist. of
a Do. 20 " " " N 73 W 37 " "
Over level land, Beech, Poplar, Ash &c
January 22, 1887

North Between Sec. 32 of 33
22.19 a Beech 20 mi. dist.
40.00 Set of Sec. post, from which
a Beech 20 mi. dist. bearing N 75 E 33 km. dist. of
a Do. 18 " " " N 76 W 16 " "
80.00 Set post Cor. to Sec. 28, 29, 32 of 33, from which
a Gum 16 mi. dist. bearing N 82 E 30 km. dist. of
a Beech 15 " " " N 61 W 18 " "
Over high 2^d rate land, Beech, Ash, 12 & 14 W. Oak

East On Rand^m between Sec. 28 of 33
40.00 Set temp. of Sec. post
79.50 Intersected the N. & S. line 19 km. S. of post
Sand timber &c. Same as on the last mile

West Connected between Sec. 28 of 33
39.36 an Ash 20 mi. dist.
39.75 a Beech 12 mi. dist. Stand for of Sec. Cor.
at average distance on true line
79.50 to Sec. Corner.

S. N. R. 10 E 2^d. Mer. Indiana

ch^l 1th
North Between Sec^s. 28 & 29

6.82 a Beech 20 m. dia.

40.00 Set q^r. Sec. post, from which
a Poplar 40 m. dia. bray N 54 E 7th. dist. of
a Beech 20 " " " S 11 E 42 " "

55.00 a Brook 17th. wide C. S. W. up it 5 chains

80.00 Set post Cor. to Sec^s. 20, 21, 28, 29, from which
a Beech 20 m. dia. bray N 89 E 36th. dist. of
a Do. 25 " " " S 89¹/₂ W 32 " "

Over high 2^d. rate land, Beech, Sugar etc.
under 1st. price &c.

East On Rand^m. between Sec^s. 21 & 28

40.00 Set temp^y. q^r. Sec. post

45.00 a Brook 15th. wide Course S. W.

79.25 Intersected the N & S. line 30th. S. of post
Over level Beech land, Soil 2^d. rate

West Connected between Sec^s. 21 & 28

39.62¹/₂ Set q^r. Sec. post at average dist. from which
a Hickory 16 m. dia. bray S 24 E 13th. dist. of
a Beech 14 " " " N 5 E 20 " "

42.62 a Do 23 " "

79.25 to Sec. Corner. January 23^d. 1807

North Between Sec^s. 20 & 21

19.50 a Beech 25 m. dia.

40.00 Set q^r. Sec. post, from which
a Beech 10 m. dia. bray N 15 E 19th. dist. of
a Oak 40 " " " South 4 " "

72.50 a Brook 25th. wide Course S. W.

80.00 Set post Cor. to Sec^s. 16, 17, 20 & 21, from which
a Beech 25 m. dia. bray East 45th. dist. of
a Do. 27 " " " N 88¹/₂ W 48 " "

Over high 2^d. rate land, Beech, Poplar, Hick etc.

S 8 N. R 10 E. 2nd Mer. Indiana 91

ch. l. l. l.
East On Rand^m. between Sec. 16 & 21
22.50 a Brook 25 l. m. wide Course S. W.
40.00 Left temp^y. q^r. Sec. post
79.10 Intersected the N & S. line 15 l. m. S. of post
Over hilly land, Beech &c. and g^r. p^r.ice, green-
brier, Dogwood &c.

West Corrected between Sec. 16 & 21
39.55 Set q^r. Sec. post, at average dist. from which
a Beech 16 m. dist. by N 39 E 14 l. m. dist. of
a Do. 15 " " " N 72 W 16 " "
40.71 a Beech 17 " "
79.10 to Sec. Corner

North Between Sec. 16 & 17
6.80 a Black Oak - in char.
17.50 a Brook 20 l. m. wide S. W.
40.00 Set q^r. Sec. post, from which
a Beech 12 m. dist. by N 60 E 8 l. m. dist. of
a Do. 30 " " " S 58 W 11 " "
80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a Beech 30 m. dist. by N 77 W 25 l. m. dist. of
an Ash 20 " " " S 41 E 17 " "
Over high g^r. rate, Beech, B. & W. Oak &c.

East On Rand^m. between Sec. 9 & 16
40.00 Left temp^y. q^r. Sec. post
79.00 Intersected the N & S. line 2 l. m. S. of post
Land timber &c. same as on last mile

West On Rand^m. between Sec. 9 & 16
39.50 Set q^r. Sec. post at average dist. from which
a Beech 16 m. dist. by N 30 W 15 l. m. dist. of
a Sugar 20 " " " N 32 E 44 " "
40.98 a Beech 25 " "
79.00 to Sec. Corner.

92

S 8 N - R 10 E. 2^d Mer. Indianach^d lthNorth Between Sec^s. 8 & 92.41 a Beech 18 in. dia^r.40.00 Set q^r. Sec. post, from whicha Beech 20 in. dia^r. bray S 75 W 31 lth. dist. of

a B. Oak 50 " " " N 85 E 25 " "

51.00 a Brook 10 lth. wide Co^r. S. W.80.00 Set post Co^r. to Sec^s. 4, 5, 8 & 9, from whicha Beech 18 in. dia^r. bray N 85 E 19 lth. dist. of

an Elm 14 " " " N 88 W 27 " "

Hilly Poor Beech land, und^rg^d. DogwoodEast On Rand^m. between Sec^s. 4 & 940.00 Set temp^y. q^r. Sec. post

79.27 Intersected the N 8 S. line at the post

High 2^d rate land, timber Beech, Hickory &c.West Connected between Sec^s. 4 & 939.63¹/₂ Set q^r. Sec. post at average dist. from whicha Beech 40 in. dia^r. bray S 23 E 52 lth. dist. of

a Sugar 30 " " " N 15 W 23 " "

113.20 a Beech 17 " "

79.27 to Sec. corner

North Between Sec^s. 4 & 50.75 a Brook 10 lth. wide Course S. W.7.50 a Beech 19 in. dia^r.40.00 Set q^r. Sec. post, from whicha Beech 30 in. dia^r. bray N 71 E 26 lth. dist. of

a Hor 35 " " " S 80 W 15 " "

65.00 a Brook 15 lth. wide Course W.76.25 Intersected St. boundary 266 lth. W. of postSet post Co^r. to Sec^s. 4 & 5, from whicha Poplar 30 in. dia^r. bray N 75 E 33 lth. dist. of

a Beech 25 " " " S 81 W 39 " "

Over hilly 2^d rate land, Beech, Sugar &c.
und^rg^d. Dogwood. Jan^y. 24th. 1807

93

S 8 N R 10 E. 2^d. Mer. Indiana

ch^y. 4th
North Between Secs. 31 & 32

13.50 a Beech 18 mi. dist.

30.00 a Brook 10 1/2 mi. wide Corner S.W.

40.00 Set of Sec. post, from which
a Sugar 20 mi. dist. by South 34 1/2 mi. dist. of
a Co. 30 " " " N 51 W 18 " "

80.00 Set post Cor. to Secs. 29, 30, 31 & 32, from which
a Sugar 18 mi. dist. by N 20 E 19 1/2 mi. dist. of
a Beech 17 " " " N 20 W 15 " "
Over high 2^d rate Beech land

East Out Land^m. between Secs. 29 & 32

40.00 Set temp^y. of Sec. post

80.00 Intersected the N & S. line at the post
Land timber &c. same as on last mile

West Connected between Secs. 29 & 32

1.40 a Beech 25 mi. dist.

40.00 Set of Sec. post at average dist. from which
a Sugar 20 mi. dist. by S 52 E 25 1/2 mi. dist. of
a Beech 10 " " " N 62 W 19 " "

80.00 to Sec. Corner

West Between Secs. 30 & 31

0.86 a Beech 26 mi. dist.

40.00 Set of Sec. post, from which
a Sugar 23 mi. dist. by East 28 1/2 mi. dist. of
any Elm 30 " " " N 7 W 9 " "

86.94 Intersected W. boundary at the post
Over hilly poor land, Beech, W. Oak &c.
underg^r. & Log wood &c.

North Between Secs. 29 & 30

22.66 a Beech 28 mi. dist.

40.00 Set of Sec. post, for which
a Beech 12 mi. dist. stands for cor. from which

94 T & N R 10 E. 2nd Mer. Indiana

ch. lks

a Beech 30 in. dia. bray N 55 W 22 lks. dist. of
58.00 a Rank resembling Keel
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
a Beech 35 in. dia. bray N 64 W 28 lks. dist. of
a Do. 24 " " " N 25 E 30 " "
Over hilly poor Beech, land - undergth. Sal-
lappas, Dogwood then interwoven with greenbriers

East On Land^m, between Sec. 20 & 29

40.00 Set temp. gr. Sec. post

80.00 Intersected the N & S. line 10 lks. N. of post
Over high 2nd rate, Beech land, undergth.
Dogwood very thick

West Corrected between Sec. 20 & 29

40.00 Set gr. Sec. post, from which

a Beech 10 in. dia. bray N 8 W 7 lks. dist. of

a Sugar 16 " " " N 8 E 20 " "

40.55 a Beech 18 " "

80.00 to Sec. Corner.

West Between Sec. 19 & 30

4.62 an Elm 22 in. dia.

40.00 Set gr. Sec. post, from which

a Poplar 20 in. dia. bray N 32 E 14 lks. dist. of

a Beech 35 " " " South 18 " "

86.33 Intersected W. boundary 90 lks. N. of post

Set post Cor. to Sec. 19 & 30, from which

a Sugar 20 in. dia. bray S 37 W 40 lks. dist. of

a Beech 18 " " " N 13 W 31 " "

Over very hilly poor land, Beech, Oak &c.
undergth. Sallappas, Dogwood, greenbriers
Beech, Soil good for Buck wheat

North Between Sec. 19 & 20

16.00 a Beech 40 in. dia.

S. N. R. N. E. 2^d. Mer. Indiana 95

ch. l. l. l.

- 40.00 Set q. Sec. post, from which
a Sugar 19 m. dist. bear N 64 W 12 l. l. dist. of
a Beech 16 " " " S 40 E 4 " "
49.00 a Brook 20 l. l. wide Course W.
80.00 Set post Cor. to Sec. 17, 18, 19, 20, from which
a Beech 17 m. dist. bear S 57 W 22 l. l. dist. of
a Do. 20 " " " S 69 E 11 " "
Over high 2^d rate land, timber Beech
January 25th. 1807
-

East On Land, between Sec. 17 & 20

- 27.00 a Brook 30 l. l. wide Course S. W.
40.00 Set temp. q. Sec. post
80.00 Intersected the N & S. line at the post
Land timber &c. same as on the last (mile)
-

West Corrected between Sec. 17 & 20

- 40.00 Set q. Sec. post at average dist. from which
a Sugar 18 m. dist. bear S 52 E 19 l. l. dist. of
a Do. 18 " " " S 45 W 17 " "
41.57 a Beech 12 " "
80.00 to Sec. Corner
-

West Between Sec. 18 & 19

- 40.00 Set q. Sec. post, from which
a Beech 30 m. dist. bear N 16 E 23 l. l. dist. of
a Do. 28 " " " S 51 W 33 " "
40.77 a Beech 20 " "
62.00 a Creek 40 l. l. wide Course S.
75.00 a Small Cove
85.84 Intersected W. boundary 150 l. l. N. of post
Set post Cor. to Sec. 18 & 19, from which
a Beech 12 m. dist. bear N 5 E 37 l. l. dist. of
a Sugar 33 " " " S 33 W 32 " "
Land timber &c. same as on last mile
-

96 S 8 N - R 10 E. 2nd. Mer. Indiana

ch. 2. 1/2 mi.
North Between Sec. 17 & 18, S 8 N. R 10 E.

8.50 a Sugar 23 in. dia.

40.00 Let off Sec. post from which
a Sugar 12 in. dia. bear N 83 W 25 lth. dist. of
a Beech 30 " " " S 87 E 22 " "

77.50 a Creek 40 lth. wide Course S. W.

80.00 Let post Cor. to Sec. 1, 7, 8, 17 & 18, from which
a Beech 18 in. dia. bear N 37 E 40 lth. dist. of
a Do. 16 " " " S 87 W 10 " "
Land timber &c. same as on last mile

East On Rand. between Sec. 8 & 17

9.50 a Creek 40 lth. wide Course S. W.

40.00 Let temp. gr. Sec. post

79.90 Intersected the N & S. line 15 lth. N. of post
Land timber &c. same as on the last mile

West Connected between Sec. 8 & 17

39.95 Let gr. Sec. post at average dist. from which
a Beech 20 in. dia. bear N 37 E 38 lth. dist. of
a Dogw. 10 " " " S 50 W 28 " "

41.79 a Beech 20 " "

79.90 to Sec. Corner.

West Between Sec. 7 & 18

8.58 a Sugar 19 in. dia.

40.00 Let off Sec. post, from which
a Beech 20 in. dia. bear N 12 E 17 lth. dist. of
a Do. 23 " " " S 19 E 19 " "

84.84 Intersected N. boundary 11 lth. North of post
Let post Cor. to Sec. 7 & 18, from which
a Beech 18 in. dia. bear S 8 E 24 lth. dist. of
a Maple 30 " " " N 18 W 32 " "
Over high 2nd rate Beech land.

North Between Sec. 7 & 8

S. N. R. W. E. 2^d. Mer. Indiana 97

ch. 1/2 m.

- 1.41 a Poplar 25 mi. dist.
 40.00 let gr. Sec. post, from which
 a Beech 20 mi. dist. bear N 7 W 15 km. dist. of
 a do. 17 " " " South 15 " "
 80.00 let post Cor. to Sec. 5, 6, 7 & 8, from which
 a Poplar 72 mi. dist. bear N 20 W 12 km. dist. of
 a Beech 20 " " " S 9 W 27 " "
 Land timber &c. same as on last mile

East On Land 9^m. between Sec. 5 & 8

- 40.00 let Temp. gr. Sec. post,
 79.00 a Brook 10 km. wide Course N
 79.80 Intersected N of S. line 10 km. N. of post
 Over level Beech land 2^d. rate

West Corrected between Sec. 5 & 8

- 39.90 let gr. Sec. post at average dist. from which
 a Beech 25 mi. dist. bear S 31 E 38 km. dist. of
 a do 18 " " " N 45 W 11 " "
 46.15 a Beech 20 " "
 79.80 to Sec. Corner

West Between Sec. 6 & 7

- 0.34 a Sugar 30 mi. dist.
 40.00 let gr. Sec. post, from which
 a Sugar 20 mi. dist. bear N 62 E 49 km. dist. of
 a Beech 12 " " " S 34 W 11 " "
 83.72 Intersected W. boundary 150 km. N. of post
 let post Cor. to Sec. 6 & 7, from which
 a Sugar 18 mi. dist. bear N 9 W 5 km. dist. of
 a Beech 16 " " " S 20 E 39 " "
 Over Poor hilly Beech land

North Between Sec. 5 & 6

- 7.68 a Beech 22 mi. dist.
 14.00 a Brook 10 km. wide Course S. W.

T8 N. R10 E. 2^d Mer. Indiana

ch. l. by

40.00 At gr. Sec. post, from which
at Beech 16 mi. dist. bear N 65° W 9 lns. dist. of
an Ash 20 " " " N 41° E 4 " "75.25 Intersected the N. boundary 223 lns. N. of
post, at post Cor. to Sec. 5 & 6, from which
at Beech 17 mi. dist. bear N 71° E 25 lns. dist. of
a Sugar 20 " " " N 79° W 15 " "Over level Beech land 2^d rate soilSept. 26th 1807Surveyed by John Brownson,
Deputy Surveyor

Comp'd

I certify that the foregoing transcript of field notes
of township N^o 8 N. Range N^o 10 E. 2^d Mer. Indiana,
has been compared with the original notes in this
Office, and found to be correct.

Surveyor Gen. Office
Cincinnati, Oct. 25th 1842

William Johnston
Sur. Gen.